



**Component force™**



*The largest  
range of grips  
in the US*



# Grips Overview

[www.componentforce.com](http://www.componentforce.com)

## Quick Find Index



Straight Sided Grip Gloss | p.5



Straight Sided Grip Textured | p.8



Ribbed Grip | p.10



Convoluted Grip | p.10



Finger Nub Grip | p.11



Angled Finger Nub Grip | p.12



Textured Finger Nub Grip | p.12



Flat Sleeve Gloss | p.13



Flat Sleeve Finger Nub Gloss | p.17



Square Grip | p.18



Industrial Grips | p.19



Rubber Grips | p.25



Foam Grips | p.31



Foam Sleeve | p.34

## Quick Find Index

Have your company branding printed on your new grips from as little as \$195



## Product Index

Quick Find Index.....	1
Product Index.....	2
Material Properties Chart.....	3
How to use a Quick Response Code.....	4
Measuring Guide.....	4
Straight Sided Grip Gloss.....	5
Straight Sided Grip Textured.....	8
Ribbed Grip.....	10
Convuluted Grip.....	10
Finger Nub Grip.....	11
Angled Finger Nub Grip.....	12
Textured Finger Nub Grip.....	12
Flat Sleeve Gloss.....	13
Flat Sleeve Finger Nub Gloss.....	17
Square Grip.....	18
Industrial Grip Style 1-3.....	19
Industrial Grip Style 4-6.....	20
Industrial Grip Style 7-9.....	21
Industrial Grip Style 10-12.....	22
Industrial Grip Style 13-15.....	23
Industrial Grip Style 16-18.....	24
Rubber Grip Style 1,2 & 4.....	25
Rubber Grip Style 5-7.....	26
Rubber Grip Style 8-10.....	27
Rubber Grip Style 11-13.....	28
Rubber Grip Style 14-16.....	29
Rubber Grip Style 17-19.....	30
Foam Grip Style 1, 4 & 6.....	31
Foam Grip Style 9, 10 & 13.....	32
Foam Grip Style 14 & 15.....	33
Foam Sleeve.....	34

N.B. The photos / line drawings in this brochure are representative of the product and are subject to change. *Please take advantage of our free sample system to ensure you get the correct part.*

## About us



We're proud to be an independent family owned company. With the sole ownership held by two brothers. The company President, Paul Gardner, has worked in the plastics industry for more than 20 years & he started the company with his brother James in the October of 2000. Since then Component Force has been the fastest growing company in its industry, with continued growth year on year. We owe our success to the great team that have helped to drive us forward over the years. With our primary focus on customer service & attention to detail, we always treat our customers in the same manner that we'd expect to be treated.

## Material Properties Chart

Material Type	Service Temperature Minimum °F	Service Temperature Maximum °F	Resistance to Sunlight	Resistance to Weak Acids	Resistance to Strong Acids	Resistance to Weak Alkalis	Resistance to Strong Alkalis	Tensile Strength PSI
Low-Density Polyethylene LDPE	-22	+122	Poor if not protected	Fair	Fair except for oxidising acids	Good	Good	600-2300
Linear Low-Density Polyethylene L-LDPE	-22	+122	Poor if not protected	Fair	Fair except for oxidising acids	Good	Good	20Mpa
High Density Polyethylene HDPE	-85	+140	Cracks if unprotected	Good	Attacked by some	Good	Good	3100-4500
Polypropylene (PP)	-13	+230	Poor	Good	Poor	Good	Good	3900-5000
PA6.6 Polyamide (Nylon) 6.6	-112	+248	Discolors Slightly	Poor	Poor	Poor	Poor	7600
PA6 Polyamide (Nylon) 6	-94	+212	Discolors Slightly	Poor	Poor	Poor	Poor	5800
Thermoplastic Rubber (TPR)	-40	+275	Good	Excellent	Good	Excellent	Good	980-1100
Silicone Rubber	-85	+446	Good	Poor	Poor	Fair	Fair	8.5Mpa
Flexible PVC	-20.2	+150.8	Fair	Good	Poor	Good	Poor	2971
EPDM Rubber	-58	+ 356	Good	Good	Fair	Fair	Fair	17.6-21 Mpa
Standard PVC	-31	+122	Good	Limited	Limited	Limited	Limited	700-2000
High Temperature PVC	-13	+392	Fair	Good	Good	Good	Fair	16MNm-2

\* The above chart is a guideline only. All products should be tested before use.

## How do I use a QR Code?

- 1) On your camera enabled smart phone, search for "QR Scanner" in your devices App Store. These apps are typically free and there is an extensive range available.
- 2) Download your chosen application to your smart phone and launch it.
- 3) With the application running, hover the camera between 6 to 12 inches away from the code. Be sure to capture the entire code with the camera.
- 4) Once the application has successfully scanned the code it will automatically launch the website for you.
- 5) From here you can request free samples, place an order or contact our component experts without the need for extensive searching.



## Measuring Guide



The (ID) or internal diameter refers to the distance between the grips internal wall.



The (IL) or internal length is the distance from the open end of the grip down to the bottom of the closed end. (On tapered or oddly shaped grips the (IL) refers only to the point at which the straight edge ends).



The (WT) or wall thickness is the space between the inside and outside wall of the grip.

## Straight Sided Grip Gloss

- A cost effective and professional finish
- Push on application for a tight and reliable fit
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.315	3.543	0.071	8.0	90.0	1.8	Black	DG417
0.315	3.543	0.071	8.0	90.0	1.8	Red	DG418
0.315	3.543	0.071	8.0	90.0	1.8	Blue	DG416
0.315	4.000	0.059	8.0	101.6	1.5	Black	DG374
0.315	4.528	0.059	8.0	115.0	1.5	White	DG175
0.315	4.724	0.071	8.0	120.0	1.8	Blue	DG261
0.315	5.906	0.079	8.0	150.0	2.0	Black	DG365
0.315	9.252	0.079	8.0	235.0	2.0	Black	DG367
0.343	3.543	0.075	8.7	90.0	1.9	Black	DG399
0.343	3.543	0.075	8.7	90.0	1.9	Red	DG286
0.374	3.543	0.075	9.5	90.00	1.9	Grey	DG357
0.374	3.543	0.075	9.5	90.0	1.9	Blue	DG280
0.374	3.937	0.075	9.5	100.0	1.9	Black	DG368
0.374	3.937	0.075	9.5	100.0	1.9	Red	DG187
0.374	4.000	0.075	9.5	101.6	1.9	Black	DG375
0.374	6.260	0.075	9.5	159.0	1.9	Red	DG65
0.374	7.008	0.075	9.5	178.0	1.9	Red	DG178
0.394	8.071	0.110	10.0	205.0	2.8	Black	DG117
0.413	4.921	0.079	10.5	125.0	2.0	Black	DG267
0.413	6.772	0.039	10.5	172.0	1.0	Black	DG128
0.472	3.937	0.059	12.0	100.0	1.5	Black	DG393
0.472	4.528	0.071	12.0	115.0	1.8	White	DG176
0.472	4.921	0.075	12.0	125.0	1.9	Red	DG264
0.472	4.528	0.075	12.0	115.0	1.9	Black	DG385
0.500	3.937	0.075	12.7	100.0	1.9	Black	DG16
0.500	3.937	0.079	12.7	100.0	2.0	Yellow	DG272
0.500	4.000	0.067	12.7	101.6	1.7	Black	DG120
0.500	5.000	0.118	12.7	127.0	3.0	Black	DG213
0.500	6.772	0.075	12.7	172.0	1.9	Black	DG269
0.500	7.874	0.087	12.7	200.0	2.2	Black	DG265
0.531	3.937	0.039	13.5	100.0	1.0	Black	DG318
0.531	3.937	0.071	13.5	100.0	1.8	Black	DG278
0.531	3.937	0.075	13.5	100.0	1.9	Red	DG348
0.531	3.937	0.071	13.5	100.0	1.8	Black	DG279
0.563	3.937	0.079	14.3	100.0	2.0	Red	DG192
0.563	5.118	0.091	14.3	130.0	2.3	Black	DG394
0.563	5.906	0.079	14.3	150.0	2.0	Black	DG359
0.563	17.717	0.079	14.3	450.0	2.0	Black	DG311

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.626	2.756	0.079	15.9	70.0	2.0	Black	DG164
0.626	3.937	0.071	15.9	100.0	1.8	Grey	DG241
0.626	3.937	0.071	15.9	100.0	1.8	Red	DG57
0.626	3.937	0.059	15.9	100.0	1.5	Black	DG389
0.626	4.000	0.075	15.9	101.6	1.9	Blue	DG9
0.626	4.000	0.067	15.9	101.6	1.7	Black	DG14
0.626	4.252	0.075	15.9	108.0	1.9	Red	DG350
0.626	4.331	0.075	15.9	110.0	1.9	Black	DG139
0.626	4.921	0.039	15.9	125.0	1.0	Black	DG317
0.626	4.921	0.059	15.9	125.0	1.5	Red	DG123
0.626	4.921	0.075	15.9	125.0	1.9	Black	DG124
0.626	5.000	0.067	15.9	127.0	1.7	Black	DG376
0.626	6.000	0.067	15.9	152.4	1.7	Black	DG377
0.626	10.039	0.075	15.9	255.0	1.9	Black	DG372
0.626	21.654	0.051	15.9	550.0	1.3	Blue	DG84
0.626	29.528	0.079	15.9	750.0	2.0	Black	DG309
0.689	3.937	0.079	17.5	100.0	2.0	Red	DG198
0.689	4.252	0.075	17.5	108.0	1.9	Black	DG20
0.689	4.252	0.075	17.5	108.0	1.9	Black	DG338
0.689	4.331	0.075	17.5	110.0	1.9	Black	DG310
0.689	11.811	0.079	17.5	300.0	2.0	Black	DG207
0.728	3.937	0.059	18.5	100.0	1.5	Black	DG56
0.728	11.811	0.118	18.5	300.0	3.0	Black	DG248
0.752	3.937	0.071	19.1	100.0	1.8	Black	DG223
0.752	3.937	0.071	19.1	100.0	1.8	Black	DG426
0.752	4.000	0.071	19.1	101.6	1.8	Black	DG378
0.752	5.000	0.071	19.1	127.0	1.8	Black	DG379
0.752	6.000	0.071	19.1	152.4	1.8	Black	DG380
0.752	4.331	0.079	19.1	110.0	2.0	Black	DG86
0.752	4.331	0.079	19.1	110.0	2.0	Red	DG282
0.752	5.906	0.071	19.1	150.0	1.8	Black	DG276
0.787	7.874	0.067	20.0	200.0	1.7	Red	DG401
0.787	11.811	0.067	20.0	300.0	1.7	Red	DG402
0.787	11.811	0.067	20.0	300.0	1.7	Black	DG429
0.811	3.937	0.059	20.6	100.0	1.5	Black	DG392
0.843	3.937	0.059	21.4	100.0	1.5	Black	DG390
0.843	5.000	0.079	21.4	127.0	2.0	Black	DG42
0.843	6.496	0.079	21.4	165.0	2.0	Black	DG360
0.843	11.811	0.079	21.4	300.0	2.0	Black	DG312
0.874	4.331	0.079	22.2	110.0	2.0	Black	DG228
0.874	5.000	0.075	22.2	127.0	1.9	Black	DG185
0.874	5.984	0.067	22.2	152.0	1.7	Yellow	DG281
0.874	7.008	0.079	22.2	178.0	2.0	Yellow	DG255
0.874	7.874	0.079	22.2	200.0	2.0	Black	DG195
0.949	5.000	0.071	24.1	127.0	1.8	Black	DG424
0.969	3.543	0.079	24.6	90.0	2.0	Red	DG201
0.969	4.252	0.071	24.6	108.0	1.8	Black	DG163
0.969	4.252	0.071	24.6	108.0	1.8	Black	DG362
0.969	4.724	0.051	24.6	120.0	1.3	Red	DG356

## Straight Sided Grip Gloss

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.969	4.921	0.079	24.6	125.0	2.0	Black	DG125
0.969	4.921	0.157	24.6	125.0	4.0	Black	DG257
0.969	5.000	0.079	24.6	127.0	2.0	Black	DG204
0.980	4.724	0.079	24.9	120.0	2.0	White	DG327
0.980	5.906	0.071	24.9	150.0	1.8	Black	DG423
0.980	7.087	0.075	24.9	180.0	1.9	Black	DG25
0.980	8.661	0.079	24.9	220.0	2.0	White	DG214
0.980	11.811	0.059	24.9	300.0	1.5	Black	DG191
0.980	7.874	0.059	24.9	200.0	1.5	Black	DG351
0.980	15.748	0.091	24.9	400.0	2.3	Green	DG386
1.000	2.165	0.075	25.4	55.0	1.9	Red	DG285
1.000	3.543	0.075	25.4	90.0	1.9	Red	DG398
1.000	3.543	0.075	25.4	90.0	1.9	Black	DG400
1.000	3.937	0.075	25.4	100.0	1.9	Red	DG232
1.000	3.937	0.059	25.4	100.0	1.5	Black	DG391
1.000	4.000	0.075	25.4	101.6	1.9	Black	DG381
1.000	5.000	0.075	25.4	127.0	1.9	Black	DG382
1.000	6.012	0.075	25.4	152.7	1.9	Black	DG383
1.000	4.528	0.091	25.4	115.0	2.3	Black	DG237
1.000	4.803	0.075	25.4	122.0	1.9	Black	DG355
1.000	4.921	0.059	25.4	125.0	1.5	Grey	DG387
1.024	3.937	0.079	26.0	100.0	2.0	Black	DG242
1.063	5.315	0.079	27.0	135.0	2.0	Black	DG229
1.063	11.811	0.079	27.0	300.0	2.0	Black	DG313
1.165	4.252	0.051	29.6	108.0	1.3	Red	DG332
1.165	4.724	0.079	29.6	120.0	2.0	Red	DG221
1.165	5.512	0.098	29.6	140.0	2.5	Black	DG217
1.252	3.937	0.079	31.8	100.0	2.0	Black	DG129
1.252	4.252	0.079	31.8	108.0	2.0	Red	DG180
1.252	7.480	0.079	31.8	190.0	2.0	Black	DG263
1.252	11.811	0.059	31.8	300.0	1.5	Black	DG197
1.339	4.921	0.075	34.0	125.0	1.9	Black	DG308
1.374	11.811	0.079	34.9	300.0	2.0	Black	DG233
1.374	14.764	0.079	34.9	375.0	2.0	Black	DG314
1.374	17.717	0.079	34.9	450.0	2.0	Black	DG254
1.417	11.811	0.079	36.0	300.0	2.0	Blue	DG415
1.417	11.811	0.079	36.0	300.0	2.0	Black	DG270
1.500	4.252	0.079	38.1	108.0	2.0	Red	DG243
1.500	4.921	0.067	38.1	125.0	1.7	Black	DG240
1.575	16.929	0.118	40.0	430.0	3.0	Black	DG253
1.575	17.717	0.039	40.0	450.0	1.0	Black	DG408
1.626	4.724	0.079	41.3	120.0	2.0	Black	DG32
1.752	5.000	0.079	44.5	127.0	2.0	Red	DG259
2.000	1.969	0.079	50.8	50.0	2.0	Red	DG200
2.000	5.118	0.079	50.8	130.0	2.0	White	DG296
2.000	6.614	0.098	50.8	168.0	2.5	White	DG247
2.500	4.000	0.079	63.5	101.6	2.0	Black	DG260

## Straight Sided Grip Textured

- Textured surface offers additional grip
- A cost effective and professional finish
- Push on application for tight and reliable fit
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.236	3.937	6.0	100.0	Black	T263
0.315	3.937	8.0	100.0	Grey	DT65
0.315	4.724	8.0	120.0	Black	DT130
0.315	5.118	8.0	130.0	Blue	DT244
0.374	5.315	9.5	135.0	Black	DT101
0.374	6.299	9.5	160.0	Black	DT239
0.472	4.724	12.0	120.0	Black	DT196
0.472	4.724	12.0	120.0	Red	DT30
0.472	5.000	12.0	127.0	Black	DT42
0.496	7.874	12.6	200.0	Orange	DT12
0.500	3.937	12.7	100.0	Red	DT81
0.500	7.874	12.7	200.0	Black	DT258
0.563	3.937	14.3	100.0	Red	DT155
0.563	3.937	14.3	100.0	Black	DT51
0.626	7.874	15.9	200.0	Black	DT116
0.626	4.000	15.9	101.6	Black	DT29
0.626	5.984	15.9	152.0	Black	DT107
0.689	3.346	17.5	85.0	Black	DT209
0.689	4.724	17.5	120.0	Blue	DT245
0.689	5.000	17.5	127.0	Black	DT123
0.748	3.150	19.0	80.0	Black	DT235
0.748	4.724	19.0	120.0	Black	DT184
0.748	4.724	19.0	120.0	Blue	DT226
0.752	3.937	19.1	100.0	Black	DT109
0.811	5.197	20.6	132.0	Black	DT176
0.843	4.134	21.4	105.0	Black	DT142
0.843	4.252	21.4	108.0	Red	DT97
0.843	5.512	21.4	140.0	Blue	DT50
0.843	18.799	21.4	477.5	Black	DT67
0.866	3.346	22.0	85.0	Black	DT257
0.874	4.921	22.2	125.0	Red	DT40
0.874	5.709	22.2	145.0	Black	DT143
0.874	5.984	22.2	152.0	Black	DT126
0.874	7.874	22.2	200.0	Black	DT269
0.874	9.055	22.2	230.0	Black	DT26
0.969	5.000	24.6	127.0	Black	DT22
0.980	5.984	24.9	152.0	Black	DT179
0.980	4.724	24.9	120.0	Black	DT207

## Straight Sided Grip Textured

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.980	5.906	24.9	150.0	Black	DT58
0.980	6.693	24.9	170.0	Black	DT54
0.980	6.693	24.9	170.0	Orange	DT13
0.980	7.874	24.9	200.0	Black	DT131
0.980	8.504	24.9	216.0	Grey	DT94
0.980	12.008	24.9	305.0	Black	DT227
0.980	14.961	24.9	380.0	Orange	DT59
0.980	14.961	24.9	380.0	Black	DT71
0.980	14.961	24.9	380.0	Black	DT381
0.980	14.961	24.9	380.0	Red	DT251
0.980	16.929	24.9	430.0	Black	DT135
0.980	24.016	24.9	610.0	Green	DT47
1.063	5.118	27.0	130.0	Black	DT266
1.063	5.118	27.0	130.0	Blue	DT224
1.126	4.134	28.6	105.0	Blue	DT149
1.126	5.000	28.6	127.0	Black	DT66
1.126	7.874	28.6	200.0	Black	DT246
1.126	13.976	28.6	355.0	Blue	DT80
1.126	17.717	28.6	450.0	Black	DT205
1.189	4.331	30.2	110.0	Black	DT250
1.189	4.921	30.2	125.0	Black	DT37
1.252	5.000	31.8	127.0	Red	DT83
1.252	12.480	31.8	317.0	Black	DT247
1.283	5.906	32.6	150.0	Black	DT117
1.339	5.118	34.0	130.0	Blue	DT225
1.339	9.843	34.0	250.0	Black	DT197
1.374	29.528	34.9	750.0	Black	DT218
1.752	5.000	44.5	127.0	Black	DT217

Found this useful? Download your free *Inserts Overview* today



## Ribbed Grip

- A cost effective and professional finish
- Push on application for a tight and reliable fit
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Part Number			
				Black	Red	White	Yellow
0.630	4.252	16.0	108.0	DG292	DG293	DG294	DG295
0.748	4.252	19.0	108.0	DG297	DG210	DG298	DG299
0.866	4.528	22.0	115.0	DG153	DG73	DG174	DG91
0.984	4.803	25.0	122.0	DG300	DG301	DG302	DG303

## Convoluted Grip

- Convoluted for increased comfort
- Custom sizes and colors available
- A cost effective and professional finish
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Open Both Ends	Color	Part Number
0.500	4.528	12.7	115.0	Yes	Blue	DG266
0.500	7.087	12.7	180.0	No	Black	DG147
0.626	3.937	15.9	100.0	No	Black	DG159
0.630	4.016	16.0	102.0	No	Black	DG40
0.728	6.102	18.5	155.0	Yes	Matt Black	DG148
0.748	4.252	19.0	108.0	No	Black	DG284

## Finger Nub Grip

- Finger nubbed for increased comfort
- A cost effective and professional finish
- Push on application for tight and reliable fit
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.748	4.016	19.0	102.0	Grey	DG334
0.748	4.252	19.0	108.0	Black	DG1
0.748	4.252	19.0	108.0	Red	DG283
0.748	4.252	19.0	108.0	White	DG7
0.748	4.252	19.0	108.0	Green	DG208
0.748	4.252	19.0	108.0	Yellow	DG67
0.748	4.252	19.0	108.0	Grey	DG33
0.748	4.252	19.0	108.0	White	DG7
0.748	5.000	19.0	127.0	Red	DG216
0.748	9.055	19.0	230.0	Black	DG188
0.866	4.252	22.0	108.0	Black	DG2
0.866	4.252	22.0	108.0	Red	DG239
0.866	4.252	22.0	108.0	Grey	DG199
0.866	4.488	22.0	114.0	Black	DG85
0.866	4.921	22.0	125.0	Black	DG289
0.984	4.252	25.0	108.0	Black	DG3
0.984	4.252	25.0	108.0	Green	DG134
0.984	4.252	25.0	108.0	Grey	DG231
0.984	4.331	25.0	110.0	Red	DG31
0.984	4.528	25.0	115.0	Red	DG193
1.185	4.528	30.1	115.0	Black	DG141
1.252	4.252	31.8	108.0	Black	DG206
1.252	4.252	31.8	108.0	Red	DG290
1.252	4.252	31.8	108.0	Yellow	DG225
1.252	4.252	31.8	108.0	Blue	DG235
1.252	4.528	31.8	115.0	Red	DG256
1.252	5.118	31.8	130.0	Yellow	DG171

## Angled Finger Nub Grip

- Finger nubbed for increased comfort
- A cost effective and professional finish
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.630	4.016	16.0	102.0	Black	DG319
0.630	4.016	16.0	102.0	Red	DG320
0.748	4.016	19.0	102.0	Black	DG203
0.748	4.016	19.0	102.0	Red	DG322
0.748	4.016	19.0	102.0	Grey	DG143
0.866	4.016	22.0	102.0	Black	DG323
0.866	4.016	22.0	102.0	Red	DG324
0.866	4.016	22.0	102.0	Grey	DG144
0.874	4.331	22.2	110.0	Grey	DG58
0.874	4.488	22.2	114.0	Red	DG110
0.874	4.488	22.2	114.0	Black	DG77
0.874	4.528	22.2	115.0	Red	DG80
0.874	4.528	22.2	115.0	Black	DG94
0.874	4.724	22.2	120.0	Yellow	DG111
0.984	4.528	25.0	115.0	Red	DG326
0.984	4.528	25.0	115.0	Yellow	DG146

## Textured Finger Nub Grip

- Finger nubbed for increased comfort
- Textured surface offers additional grip
- A cost effective and professional finish
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.748	4.724	19.0	120.0	Black	DT69
0.866	4.724	22.0	120.0	Black	DT312
0.984	4.724	25.0	120.0	Black	DT212
1.252	4.724	31.8	120.0	Black	DT339

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Open Both Ends	Color	Part Number
0.748	4.528	19.0	115.0	No	Black	DG189
0.748	6.890	19.0	175.0	Yes	Black	DG219
0.866	4.528	22.0	115.0	No	Black	DG156
0.866	4.528	22.0	115.0	No	Grey	DG186
0.866	6.693	22.0	170.0	No	Yellow	DG258
0.984	4.134	25.0	105.0	No	Black	DG145
0.984	4.134	25.0	105.0	No	Blue	DG316

## Flat Sleeve Gloss

- A cost effective and professional finish
- Ideal for use on a rectangular box section
- Can be easily printed with your company branding
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.321 x 0.122	0.591	8.15 x 3.10	15.0	Black	FS270
0.321 x 0.122	1.126	8.15 x 3.10	28.6	Black	FS86
0.321 x 0.122	1.378	8.15 x 3.10	35.0	Black	FS88
0.354 x 0.059	1.102	9.0 x 1.5	28.0	Black	FS246
0.354 x 0.059	1.969	9.0 x 1.5	50.0	Black	FS1
0.394 x 0.157	0.709	10.0 x 4.0	18.0	Black	FS328
0.472 x 0.047	0.256	12.0 x 1.2	6.5	Red	FS50
0.472 x 0.118	0.394	12.0 x 3.0	10.0	Black	FS258
0.472 x 0.118	0.752	12.0 x 3.0	19.1	Black	FS72
0.472 x 0.118	0.752	12.0 x 3.0	19.1	Red	FS4
0.472 x 0.118	1.693	12.0 x 3.0	43.0	Red	FS295
0.472 x 0.118	1.772	12.0 x 3.0	45.0	Black	FS23
0.472 x 0.118	2.126	12.0 x 3.0	54.0	Black	FS38
0.472 x 0.118	2.362	12.0 x 3.0	60.0	Black	FS97
0.472 x 0.118	2.559	12.0 x 3.0	65.0	Blue	FS75
0.472 x 0.118	3.740	12.0 x 3.0	95.0	Black	FS139
0.472 x 0.118	3.937	12.0 x 3.0	100.0	Red	FS174
0.472 x 0.118	3.937	12.0 x 3.0	100.0	Blue	FS208
0.472 x 0.118	4.213	12.0 x 3.0	107.0	Black	FS128
0.472 x 0.118	4.528	12.0 x 3.0	115.0	Red	FS70
0.472 x 0.118	4.528	12.0 x 3.0	115.0	Green	FS71
0.472 x 0.118	4.724	12.0 x 3.0	120.0	Black	FS130
0.472 x 0.118	6.299	12.0 x 3.0	160.0	Black	FS279
0.472 x 0.118	6.299	12.0 x 3.0	160.0	Red	FS207
0.500 x 0.126	4.331	12.7 x 3.2	110.0	Black	FS163

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.500 x 0.126	4.331	12.7 x 3.2	110.0	Black	FS163
0.591 x 0.118	0.787	15.0 x 3.0	20.0	Black	FS80
0.591 x 0.118	0.984	15.0 x 3.0	25.0	Black	FS219
0.591 x 0.118	1.575	15.0 x 3.0	40.0	Black	FS95
0.591 x 0.118	1.575	15.0 x 3.0	40.0	Blue	FS89
0.591 x 0.118	2.362	15.0 x 3.0	60.0	Black	FS98
0.591 x 0.118	2.756	15.0 x 3.0	70.0	Blue	FS268
0.591 x 0.118	3.150	15.0 x 3.0	80.0	Red	FS145
0.591 x 0.118	3.346	15.0 x 3.0	85.0	Red	FS175
0.625 x 0.118	2.087	15.88 x 3.0	53.0	Red	FS18
0.625 x 0.125	0.945	15.88 x 3.18	24.0	Grey	FS19
0.689 x 0.118	2.362	17.5 x 3.0	60.0	Black	FS161
0.689 x 0.118	2.756	17.5 x 3.0	70.0	Black	FS36
0.748 x 0.059	0.500	19.0 x 1.5	12.7	Blue	FS124
0.748 x 0.059	0.551	19.0 x 1.5	14.0	Red	FS112
0.748 x 0.059	1.575	19.0 x 1.5	40.0	Black	FS233
0.748 x 0.118	2.953	19.0 x 3.0	75.0	Black	FS34
0.748 x 0.118	3.937	19.0 x 3.0	100.0	Black	FS160
0.748 x 0.236	0.591	19.0 x 6.0	15.0	Black	FS84
0.748 x 0.236	4.331	19.0 x 6.0	110.0	Black	FS166
0.632 x 0.062	2.362	19.05 x 1.58	60.0	Black	FS272
0.750 x 0.250	1.500	19.05 x 6.35	38.1	Black	FS226
0.750 x 0.250	1.500	19.05 x 6.35	38.1	White	FS229
0.750 x 0.250	3.937	19.05 x 6.35	100.0	Black	FS202
0.750 x 0.250	3.937	19.05 x 6.35	100.0	Blue	FS267
0.750 x 0.250	4.331	19.05 x 6.35	110.0	Black	FS148
0.750 x 0.375	4.528	19.05 x 9.53	115.0	Black	FS46
0.752 x 0.126	4.331	19.1 x 3.2	110.0	Black	FS164
0.760 x 0.106	2.559	19.3 x 2.7	65.0	Black	FS39
0.760 x 0.106	3.937	19.3 x 2.7	100.0	Black	FS11
0.760 x 0.106	4.252	19.3 x 2.7	108.0	Black	FS22
0.760 x 0.118	1.181	19.3 x 3.0	30.0	Red	FS291
0.760 x 0.118	3.937	19.3 x 3.0	100.0	Red	FS292
0.760 x 0.197	3.740	19.3 x 5.0	95.0	Red	FS144
0.760 x 0.202	3.622	19.3 x 5.13	92.0	Black	FS200
0.768 x 0.079	0.984	19.5 x 2.0	25.0	Black	FS171
0.780 x 0.142	3.150	19.8 x 3.6	80.0	Red	FS347
0.787 x 0.118	0.984	20.0 x 3.0	25.0	Black	FS13
0.787 x 0.118	3.346	20.0 x 3.0	85.0	Red	FS106
0.787 x 0.197	0.394	20.0 x 5.0	10.0	Black	FS181
0.787 x 0.197	1.575	20.0 x 5.0	40.0	Black	FS192
0.787 x 0.197	1.575	20.0 x 5.0	40.0	Yellow	FS276
0.787 x 0.197	4.331	20.0 x 5.0	110.0	Black	FS225
0.787 x 0.197	4.331	20.0 x 5.0	110.0	Red	FS227
0.787 x 0.197	4.528	20.0 x 5.0	115.0	Red	FS210
0.827 x 0.118	1.575	21.0 x 3.0	40.0	Black	FS235
0.827 x 0.118	2.205	21.0 x 3.0	56.0	Red	FS74
0.827 x 0.118	2.756	21.0 x 3.0	70.0	Black	FS238
0.945 x 0.118	1.378	24.0 x 3.0	35.0	Black	FS190

## Flat Sleeve Gloss

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.945 x 0.118	0.118	24.0 x 3.0	35.0	Black	FS190
0.945 x 0.118	0.118	24.0 x 3.0	70.0	Black	FS10
0.945 x 0.118	0.118	24.0 x 3.0	85.0	Red	FS147
0.965 x 0.177	0.177	24.5 x 4.5	160.0	Red	FS348
0.984 x 0.118	0.118	25.0 x 3.0	25.0	Black	FS201
0.984 x 0.118	0.118	25.0 x 3.0	30.0	Black	FS196
0.984 x 0.118	0.118	25.0 x 3.0	30.0	Black	FS102
0.984 x 0.118	0.118	25.0 x 3.0	100.0	Black	FS12
0.984 x 0.118	0.118	25.0 x 3.0	100.0	Red	FS109
0.984 x 0.118	0.118	25.0 x 3.0	100.0	Black	FS162
0.984 x 0.157	0.157	25.0 x 4.0	25.0	Black	FS157
0.984 x 0.157	0.157	25.0 x 4.0	85.0	Yellow	FS16
0.984 x 0.157	0.157	25.0 x 4.0	100.0	Black	FS15
0.984 x 0.157	0.157	25.0 x 4.0	100.0	Red	FS242
0.984 x 0.157	0.157	25.0 x 4.0	110.0	Red	FS29
0.984 x 0.157	0.157	25.0 x 4.0	125.0	Black	FS243
0.984 x 0.197	0.197	25.0 x 5.0	10.0	Black	FS182
0.984 x 0.197	0.197	25.0 x 5.0	15.0	Blue	FS251
0.984 x 0.197	0.197	25.0 x 5.0	30.0	Black	FS100
0.984 x 0.197	0.197	25.0 x 5.0	35.0	Black	FS209
0.984 x 0.197	0.197	25.0 x 5.0	38.1	Black	FS79
0.984 x 0.197	0.197	25.0 x 5.0	38.1	White	FS228
0.984 x 0.197	0.197	25.0 x 5.0	38.1	Red	FS119
0.984 x 0.197	0.197	25.0 x 5.0	45.0	Black	FS213
0.984 x 0.197	0.197	25.0 x 5.0	50.0	Black	FS191
0.984 x 0.197	0.197	25.0 x 5.0	65.0	Black	FS94
0.984 x 0.197	0.197	25.0 x 5.0	70.0	Black	FS114
0.984 x 0.197	0.197	25.0 x 5.0	100.0	Black	FS99
0.984 x 0.197	0.197	25.0 x 5.0	105.0	Grey	FS136
0.984 x 0.197	0.197	25.0 x 5.0	108.0	Red	FS176
0.984 x 0.197	0.197	25.0 x 5.0	127.0	Blue	FS261
0.984 x 0.197	0.197	25.0 x 5.0	135.0	Red	FS107
0.984 x 0.197	0.197	25.0 x 5.0	150.0	Red	FS104
0.984 x 0.236	0.236	25.0 x 6.0	104.0	Black	FS241
0.984 x 0.236	0.236	25.0 x 6.0	110.0	Black	FS167
0.984 x 0.250	0.250	25.0 x 6.35	38.1	Black	FS17
0.984 x 0.315	0.315	25.0 x 8.0	60.0	Grey	FS116
0.984 x 0.374	0.374	25.0 x 9.5	25.0	Grey	FS183
0.984 x 0.394	0.394	25.0 x 10	25.0	Blue	FS187
1.000 x 0.125	0.125	25.40 x 3.18	100.0	Blue	FS21
1.000 x 0.125	0.125	25.40 x 3.18	165.0	Black	FS24
1.000 x 0.126	0.126	25.40 x 3.2	110.0	Black	FS165
1.000 x 0.157	0.157	25.40 x 4.0	100.0	Black	FS3
1.000 x 0.252	0.252	25.40 x 6.4	110.0	Black	FS169
1.000 x 0.311	0.311	25.40 x 7.9	177.8	Blue	FS277
1.000 x 0.500	0.500	25.40 x 12.7	110.0	Black	FS345
1.122 x 0.197	0.197	28.5 x 5.0	100.0	Black	FS2
1.122 x 0.197	0.197	28.5 x 5.0	100.0	Red	FS222
1.122 x 0.197	0.197	28.5 x 5.0	100.0	Yellow	FS20

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
1.122 x 0.197	4.724	28.5 x 5.0	120.0	Black	FS42
1.122 x 0.354	0.500	28.5 x 9.0	12.7	Red	FS256
1.169 x 0.098	2.362	29.7 x 2.5	60.0	Black	FS159
1.181 x 0.118	0.984	30.0 x 3.0	25.0	Black	FS6
1.181 x 0.118	3.937	30.0 x 3.0	100.0	Black	FS252
1.181 x 0.118	3.937	30.0 x 3.0	100.0	Red	FS223
1.181 x 0.236	0.787	30.0 x 6.0	20.0	Black	FS249
1.181 x 0.236	0.787	30.0 x 6.0	20.0	Red	FS198
1.181 x 0.236	1.575	30.0 x 6.0	40.0	Black	FS193
1.181 x 0.236	4.331	30.0 x 6.0	110.0	Black	FS168
1.181 x 0.236	4.528	30.0 x 6.0	115.0	White	FS215
1.181 x 0.236	5.000	30.0 x 6.0	127.0	Red	FS81
1.181 x 0.236	5.512	30.0 x 6.0	140.0	Black	FS211
1.181 x 0.236	9.843	30.0 x 6.0	250.0	Black	FS68
1.181 x 0.315	2.953	30.0 x 8.0	75.0	Black	FS262
1.181 x 0.315	3.937	30.0 x 8.0	100.0	Black	FS82
1.181 x 0.315	4.331	30.0 x 8.0	110.0	Black	FS264
1.181 x 0.315	4.331	30.0 x 8.0	110.0	Red	FS265
1.181 x 0.315	4.331	30.0 x 8.0	110.0	Yellow	FS337
1.181 x 0.315	4.921	30.0 x 8.0	125.0	Black	FS78
1.181 x 0.315	5.000	30.0 x 8.0	127.0	Red	FS87
1.181 x 0.315	5.906	30.0 x 8.0	150.0	Black	FS195
1.181 x 0.591	1.575	30.0 x 15.0	40.0	Black	FS154
1.250 x 0.066	0.394	31.75 x 1.57	10.0	Black	FS344
1.250 x 0.315	1.378	31.75 x 8	35.0	Red	FS113
1.250 x 0.375	3.937	31.75 x 9.53	100.0	Black	FS274
1.250 x 0.375	5.118	31.75 x 9.53	130.0	Black	FS129
1.250 x 0.375	5.709	31.75 x 9.53	145.0	Red	FS137
1.500 x 0.125	3.465	38.10 x 3.18	88.0	Black	FS266
1.496 x 0.984	0.984	38.0 x 25.0	25.0	Black	FS188
1.496 x 0.984	1.772	38.0 x 25.0	45.0	Black	FS244
1.500 x 0.125	1.378	38.10 x 3.18	35.0	Red	FS92
1.500 x 0.250	1.181	38.10 x 6.35	30.0	Black	FS85
1.500 x 0.250	3.346	38.10 x 6.35	85.0	Red	FS269
1.500 x 0.250	3.937	38.10 x 6.35	100.0	Red	FS156
1.500 x 0.250	7.000	38.10 x 6.35	177.8	Green	FS83
1.500 x 0.374	0.500	38.10 x 9.5	12.7	Red	FS257
1.516 x 0.472	0.984	38.50 x 12.0	25.0	Black	FS259
1.516 x 0.472	3.937	38.50 x 12.0	100.0	Black	FS133
1.516 x 0.472	3.937	38.50 x 12.0	100.0	Blue	FS254
1.575 x 0.118	0.591	40.0 x 3.0	15.0	Black	FS44
1.575 x 0.118	0.984	40.0 x 3.0	25.0	Black	FS232
1.575 x 0.118	0.984	40.0 x 3.0	25.0	Red	FS179
1.575 x 0.118	13.189	40.0 x 3.0	335.0	Black	FS52
1.575 x 0.315	3.937	40.0 x 8.0	100.0	Black	FS230
1.575 x 0.315	4.528	40.0 x 8.0	115.0	Blue	FS91
1.575 x 0.394	4.331	40.0 x 10.0	110.0	Yellow	FS338
1.575 x 0.866	0.984	40.0 x 22.0	25.0	Blue	FS260
1.850 x 0.709	0.984	47.0 x 18.0	25.0	Black	FS275

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
1.969 x 0.118	4.370	50.0 x 3.0	111.0	Blue	FS25
1.969 x 0.315	1.000	50.0 x 8.0	25.4	Black	FS199
1.969 x 0.315	1.969	50.0 x 8.0	50.0	Black	FS273
2.205 x 0.236	3.937	56.0 x 6.0	100.0	Red	FS216
2.362 x 0.315	3.150	60.0 x 8.0	80.0	Black	FS239
2.362 x 0.315	3.937	60.0 x 8.0	100.0	Red	FS217
2.677 x 1.260	2.244	68.0 x 32.0	57.0	Black	FS220
2.953 x 0.059	0.394	75.0 x 1.5	10.0	Black	FS237
2.953 x 0.059	0.984	75.0 x 1.5	25.0	Black	FS123
2.953 x 0.315	3.937	75.0 x 8.0	100.0	Red	FS218

## Flat Sleeve Finger Nub Gloss

- Finger nubbed for increased comfort
- A cost effective and professional finish
- Can be easily printed with your company branding
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.984 x 0.236	4.094	25.0 x 6.0	104.0	Black	FS241
0.984 x 0.236	4.094	25.0 x 6.0	104.0	Red	FS364
1.181 x 0.315	4.331	30.0 x 8.0	110.0	Red	FS265
1.181 x 0.315	4.331	30.0 x 8.0	110.0	Black	FS264

## Square Grip

- A cost effective and professional finish
- Ideal for use on a square box section
- Can be easily printed with your company branding
- Optional textured surface offers additional grip
- Custom sizes and colors available
- Material: PVC
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.394 x 0.394	3.937	10.0 x 10.0	100.0	Black Gloss	SG23
0.394 x 0.394	4.252	10.0 x 10.0	108.0	Black Gloss	SG2
0.394 x 0.394	4.252	10.0 x 10.0	108.0	Black Textured	SG7
0.433 x 0.433	2.953	11.0 x 11.0	75.0	Black Gloss	SG29
0.433 x 0.433	2.953	11.0 x 11.0	75.0	Black Textured	SG30
0.472 x 0.472	2.953	12.0 x 12.0	75.0	Black Gloss	SG31
0.472 x 0.472	2.953	12.0 x 12.0	75.0	Black Textured	SG32
0.500 x 0.500	4.252	12.70 x 12.70	108.0	Black Gloss	SG33
0.500 x 0.500	4.252	12.70 x 12.70	108.0	Black Textured	SG34
0.625 x 0.625	4.252	15.88 x 15.88	108.0	Black Gloss	SG18
0.625 x 0.625	4.724	15.88 x 15.88	120.0	Black Textured	SG21
0.625 x 0.625	4.724	15.88 x 15.88	120.0	Black Textured	SG26
0.625 x 0.625	5.000	15.88 x 15.88	127.0	Black Gloss	SG20
0.748 x 0.748	4.000	19.0 x 19.0	101.6	Black Gloss	SG9
0.748 x 0.748	4.000	19.0 x 19.0	101.6	Black Semi Matt	SG27
0.748 x 0.748	4.724	19.0 x 19.0	120.0	Black Gloss	SG36
0.748 x 0.748	4.724	19.0 x 19.0	120.0	Black Textured	SG13
0.748 x 0.748	3.937	19.90 x 19.90	100.0	Black Textured	SG1
0.748 x 0.748	4.252	22.23 x 22.23	108.0	Black Textured	SG17



Custom printing available on most sleeves and grips from as little as \$195

## Industrial Grip Style 1



Scan here to order

- Small flange at the open end to prevent slipping
- Detailing across the surface improves grip
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.925	4.921	23.5	125.0	Black	IG18
0.925	4.921	23.5	125.0	Red	IG111
0.984	4.921	25.0	125.0	Black	IG7
0.984	4.921	25.0	125.0	Red	IG60
1.181	4.921	30.0	125.0	Black	IG21
1.181	4.921	30.0	125.0	Red	IG110
1.260	4.921	32.0	125.0	Black	IG8
1.260	4.921	32.0	125.0	Red	IG109

## Industrial Grip Style 2



Scan here to order

- Small flange at the open end to prevent slipping
- Detailing across the surface improves grip
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.748	4.134	19.0	105.0	Black	IG14
0.866	4.134	22.0	105.0	Black	IG20
0.984	3.937	25.0	100.0	Black	IG33
0.984	3.937	25.0	100.0	Red	IG113

## Industrial Grip Style 3



Scan here to order

- Large flange at the open end to prevent slipping
- Detailing across the surface improves grip
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
1.024	4.724	26.0	120.0	Black	IG32
1.083	4.724	27.5	120.0	Black	IG112

## Industrial Grip Style 4



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.630	3.150	16.0	80.0	Black	IG34
0.630	3.150	16.0	80.0	Red	IG114



Scan here to order

- Bulbous styling for increased comfort
- Detailing across the surface improves grip
- Material: PVC
- Free samples

## Industrial Grip Style 5



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.748	3.937	19.0	100.0	Black	IG35
0.866	3.937	22.0	100.0	Black	IG36



Scan here to order

- Bulbous styling for increased comfort
- Detailing across the surface improves grip
- Material: PVC
- Free samples

## Industrial Grip Style 6



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.984	4.724	25.0	120.0	Black	IG5
0.984	4.724	25.0	120.0	Red	IG54



Scan here to order

- Small flange at the open end to prevent slipping
- Finger nubbed for increased comfort
- Material: PVC
- Free samples

## Industrial Grip Style 7



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.728	4.528	18.5	115.0	No	IG115
0.748	4.528	19.0	115.0	Yes	IG107
0.866	4.528	22.0	115.0	Yes	IG6
0.925	4.528	23.5	115.0	No	IG116



Scan here to order

- Optional reflector at the closed end
- Available in black only
- Material: PVC
- Free samples

## Industrial Grip Style 8



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.472	4.528	12.0	115.0	Black	IG39
0.472	4.528	12.0	115.0	Red	IG101
0.551	4.528	14.0	115.0	Black	IG40
0.551	4.528	14.0	115.0	Red	IG119
0.709	4.528	18.0	115.0	Black	IG41
0.709	4.528	18.0	115.0	Red	IG122
0.984	4.724	25.0	120.0	Black	IG37
0.984	4.134	25.0	105.0	Black	IG100
0.984	4.724	25.0	120.0	Red	IG117
1.102	4.724	28.0	120.0	Black	IG38
1.102	4.724	28.0	120.0	Red	IG118



Scan here to order

- Finger nubbed for increased comfort
- A cost effective and professional finish
- Material: PVC
- Free samples

## Industrial Grip Style 9



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.748	4.331	19.0	110.0	Black	IG26
0.866	4.331	22.0	110.0	Black	IG24



Scan here to order

- Alternating pattern across the surface improves both grip and reduces slip
- A cost effective and professional finish
- Material: PVC
- Free samples

## Industrial Grip Style 10



Scan here to order

- Incorporates both a finned and finger nubbed grip into its design
- Extremely comfortable
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.748	4.331	19.0	110.0	Black	IG27
0.787	4.331	20.0	110.0	Black	IG28
0.866	4.331	22.0	110.0	Black	IG25
0.866	4.331	22.0	110.0	Black	IG42
0.925	4.331	23.5	110.0	Black	IG29

## Industrial Grip Style 11



Scan here to order

- Finger nubbed for increased comfort
- Detailing across the surface improves grip
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.748	4.331	19.0	110.0	Blue	IG123
0.748	4.331	19.0	110.0	Black	IG16
0.866	4.331	22.0	110.0	Red	IG17
0.866	4.331	22.0	110.0	Black	IG23

## Industrial Grip Style 12



Scan here to order

- Fins help to dissipate machine energy reducing machine fatigue
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.748	4.134	19.0	105.0	Black	IG61
0.866	4.134	22.0	105.0	Black	IG66
0.984	4.134	25.0	105.0	Black	IG57

## Industrial Grip Style 13



Scan here to order

- Finger nubbed for increased comfort
- A cost effective and professional finish
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.331	22.0	110.0	Black	IG67
0.866	4.331	22.0	110.0	Red	IG106
0.984	4.331	25.0	110.0	Black	IG63
0.984	4.331	25.0	110.0	Red	IG169

## Industrial Grip Style 14



Scan here to order

- Open at both ends
- Extremely heavy duty option
- Finger nubbed for increased comfort
- Material: Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.650	5.118	16.5	130.0	Black	IG170
0.650	5.118	16.5	130.0	Orange	IG181
0.650	5.118	16.5	130.0	Yellow	IG173
0.728	5.118	18.5	130.0	Black	IG108
0.728	5.118	18.5	130.0	Red	IG175
0.728	5.118	18.5	130.0	Blue	IG171
0.728	5.118	18.5	130.0	Yellow	IG172
0.728	5.118	18.5	130.0	Orange	IG182
0.807	5.118	20.5	130.0	Black	IG126
0.807	5.118	20.5	130.0	Red	IG176
0.807	5.118	20.5	130.0	Blue	IG141

## Industrial Grip Style 15



Scan here to order

- Finger nubbed for increased comfort
- A cost effective and professional finish
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.984	4.921	25.0	125.0	Black	IG144

## Industrial Grip Style 16



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.984	3.740	25.0	95.0	Black	IG167



Scan here to order

- Heavy duty T-Handle grip
- Detailing across the surface improves grip
- A cost effective and professional finish
- Material: Polypropylene
- Free samples

## Industrial Grip Style 17



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
1.024	6.693	26.0	170.0	Black	IG139



Scan here to order

- Heavy duty shovel grip
- A cost effective and professional finish
- Material: Polypropylene
- Free samples

## Industrial Grip Style 18



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.984	6.496	25.0	165.0	Black	IG47
0.984	6.496	25.0	165.0	Red	IG48



Scan here to order

- An important safety measure for protecting exposed knuckles
- Material: Polypropylene
- Free samples

## Rubber Grip Style 1



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	3.543	22.0	90.0	Black/Grey	IG104
0.866	4.724	22.0	120.0	Black/Grey	IG105



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate energy reducing machine fatigue
- Material: Kraton
- Free samples

## Rubber Grip Style 2



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.724	22.0	120.0	Black/Grey	IG91



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate energy reducing machine fatigue
- Material: Kraton
- Free samples

## Rubber Grip Style 4



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.724	22.0	120.0	Black/Grey	IG125



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate energy reducing machine fatigue
- Material: Kraton
- Free samples

## Rubber Grip Style 5



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.724	22.0	120.0	Black/Grey	IG94



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate energy reducing machine fatigue
- Material: Kraton
- Free samples

## Rubber Grip Style 6



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	2.756	22.0	70.0	Black	IG45
0.866	3.543	22.0	90.0	Black	IG44
0.866	4.724	22.0	120.0	Black	IG43
0.866	4.724	22.0	120.0	Black	IG102*



Scan here to order

- Ergonomically designed for increased comfort
- Open both ends\*
- Material: Kraton
- Free samples

## Rubber Grip Style 7



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	5.315	22.0	135.0	Black	IG3
0.866	5.315	22.0	135.0	Black	IG15*



Scan here to order

- Ergonomically designed for increased comfort
- Open both ends\*
- Material: PVC/Kraton
- Free samples

## Rubber Grip Style 8



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.724	22.0	120.0	Black	IG127



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: PVC
- Free samples

## Rubber Grip Style 9



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.331	22.0	110.0	Black Soft	IG2
0.866	4.331	22.0	110.0	Black Hard	IG13



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: PVC
- Free samples

## Rubber Grip Style 10



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	2.953	22.0	75.0	Black	IG130
0.866	3.937	22.0	100.0	Black	IG30
0.866	4.921	22.0	125.0	Black	IG31
0.866	4.921	22.0	125.0	Black TPE	IG12



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: PVC
- Free samples

## Rubber Grip Style 11




Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: PVC
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	3.740	22.0	95.0	Black	IG131
0.866	4.724	22.0	120.0	Black	IG132
0.866	5.118	22.0	130.0	Black	IG49
0.866	5.118	22.0	130.0	Red	IG58

## Rubber Grip Style 12



Scan here to order

- Ergonomically designed for increased comfort
- Open both ends\*
- Material: PVC/Kraton
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	3.937	22.0	100.0	Black	IG128
0.866	4.134	22.0	105.0	Black	IG164*
0.866	4.724	22.0	120.0	Black	IG129
0.866	4.724	22.0	120.0	Yellow	IG149

## Rubber Grip Style 13



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	3.937	22.0	100.0	Black	IG19
0.984	3.937	25.0	100.0	Black	IG22

## Rubber Grip Style 14



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.650	5.118	16.5	130.0	Black	IG170
0.650	5.118	16.5	130.0	Orange	IG181
0.650	5.118	16.5	130.0	Yellow	IG173
0.728	5.118	18.5	130.0	Black	IG108
0.728	5.118	18.5	130.0	Red	IG175
0.728	5.118	18.5	130.0	Blue	IG171
0.728	5.118	18.5	130.0	Yellow	IG172
0.728	5.118	18.5	130.0	Orange	IG182
0.807	5.118	20.5	130.0	Black	IG126
0.807	5.118	20.5	130.0	Red	IG176
0.807	5.118	20.5	130.0	Blue	IG141

## Rubber Grip Style 15



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	2.953	22.0	75.0	Black	IG136
0.866	3.543	22.0	90.0	Black	IG137
0.866	3.937	22.0	100.0	Yellow	IG69
0.866	4.724	22.0	120.0	Black	IG165

## Rubber Grip Style 16



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.331	22.0	110.0	Black	IG135

## Rubber Grip Style 17



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.724	22.0	120.0	Black	IG4



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: Rubber
- Free samples

## Rubber Grip Style 18



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	2.953	22.0	75.0	Black	IG146
0.866	3.346	22.0	85.0	Black	IG178
0.866	4.331	22.0	110.0	Black	IG147
0.866	4.724	22.0	120.0	Black	IG166



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: Rubber
- Free samples

## Rubber Grip Style 19



Internal Diameter Inches (ID)	Internal Length Inches (IL)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Color	Part Number
0.866	4.921	22.0	125.0	Black	IG163



Scan here to order

- Ergonomically designed for increased comfort
- Rubber helps to dissipate machine energy reducing machine fatigue
- Material: TPE
- Free samples

## Foam Grip Style 1



Scan here to order

- Extremely comfortable
- Foam helps to dissipate energy reducing machine fatigue
- Material: Foam Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.472	4.528	0.394	12.0	115.0	10.0	Black	FG122
0.591	4.528	0.394	15.0	115.0	10.0	Black	FG14
0.748	4.528	0.394	19.0	115.0	10.0	Black	FG21
0.748	4.528	0.394	19.0	115.0	10.0	Red	FG114
0.748	5.118	0.512	19.0	130.0	13.0	Black	FG98
0.827	5.118	0.276	21.0	130.0	7.0	Black	FG34
0.866	5.118	0.394	22.0	130.0	10.0	Black	FG51

## Foam Grip Style 4



Scan here to order

- Extremely comfortable
- Foam helps to dissipate energy reducing machine fatigue
- Material: Foam Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.591	5.000	0.276	15.0	127.0	7.0	Black	FG115
0.591	5.000	0.276	15.0	127.0	7.0	Red	FG116
0.748	5.000	0.276	19.0	127.0	7.0	Black	FG175
0.748	5.000	0.276	19.0	127.0	7.0	Red	FG176
0.748	5.000	0.276	19.0	127.0	7.0	Black	FG44
0.827	5.000	0.276	21.0	127.0	7.0	Black	FG15
0.827	5.000	0.276	21.0	127.0	7.0	Red	FG177
0.906	5.000	0.276	23.0	127.0	7.0	Black	FG13
0.984	5.000	0.276	25.0	127.0	7.0	Black	FG87
0.984	5.000	0.276	25.0	127.0	7.0	Red	FG178

## Foam Grip Style 6



Scan here to order

- Extremely comfortable
- Foam helps to dissipate energy reducing machine fatigue
- Material: Foam Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.591	5.000	0.276	15.0	127.0	7.0	Black	FG189
0.748	5.000	0.276	19.0	127.0	7.0	Black	FG190
0.866	5.000	0.276	22.0	127.0	7.0	Black	FG191
0.984	5.000	0.276	25.0	127.0	7.0	Black	FG113
1.220	5.000	0.276	31.0	127.0	7.0	Black	FG192

## Foam Grip Style 9



Scan here to order

- Extremely comfortable
- Foam helps to dissipate energy reducing machine fatigue
- Material: Foam Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.591	5.118	0.276	15.0	130.0	7.0	Black	FG172
0.591	5.118	0.276	15.0	130.0	7.0	Blue	FG173
0.591	5.118	0.276	15.0	130.0	7.0	Red	FG174
0.866	5.118	0.276	22.0	130.0	7.0	Red	FG139
0.866	5.118	0.276	22.0	130.0	7.0	Grey	FG140
0.866	5.118	0.276	22.0	130.0	7.0	Blue	FG141
0.866	5.118	0.276	22.0	130.0	7.0	Yellow	FG142
0.866	5.118	0.276	22.0	130.0	7.0	Green	FG143
0.866	5.118	0.276	22.0	130.0	7.0	Orange	FG144

## Foam Grip Style 10



Scan here to order

- Extremely comfortable
- Foam helps to dissipate energy reducing machine fatigue
- Material: Foam Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.748	0.354	8.465	19.0	9.0	215.0	Black	FG150
0.748	0.354	8.465	19.0	9.0	215.0	Red	FG151
0.748	0.354	8.465	19.0	9.0	215.0	Blue	FG218
0.748	0.354	8.465	19.0	9.0	215.0	Green	FG153
0.866	0.354	8.465	22.0	9.0	215.0	Black	FG219
0.866	0.354	8.465	22.0	9.0	215.0	Red	FG220
0.866	0.354	8.465	22.0	9.0	215.0	Blue	FG152
0.866	0.354	8.465	22.0	9.0	215.0	Green	FG221
0.866	5.118	0.276	22.0	130.0	7.0	Orange	FG144

## Foam Grip Style 13



Scan here to order

- Extremely comfortable
- Foam helps to dissipate energy reducing machine fatigue
- Material: Foam Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.591	5.000	0.276	15.0	127.0	7.0	Yellow/Purple	FG189
0.748	5.000	0.276	19.0	127.0	7.0	Black/Yellow	FG190
0.866	5.000	0.276	22.0	127.0	7.0	Black/Green	FG191
0.984	5.000	0.276	25.0	127.0	7.0	Green/Yellow	FG113
1.220	5.000	0.276	31.0	127.0	7.0	Green/Red	FG192

## Foam Grip Style 14



Scan here to order

- Extremely comfortable
- Foam helps to dissipate energy reducing machine fatigue
- Material: Foam Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.626	8.465	0.354	15.9	215.0	9.0	Black/Red	FG210
0.626	8.465	0.354	15.9	215.0	9.0	Black/Purple	FG211
0.626	8.465	0.354	15.9	215.0	9.0	Black/Yellow	FG212
0.748	8.465	0.354	19.0	215.0	9.0	Black/Red	FG213
0.748	8.465	0.354	19.0	215.0	9.0	Black/Purple	FG214
0.748	8.465	0.354	19.0	215.0	9.0	Black/Yellow	FG215
0.748	12.598	0.276	19.0	320.0	7.0	Black/Black	FG290
0.866	8.465	0.354	22.0	215.0	9.0	Black/Red	FG208
0.866	8.465	0.354	22.0	215.0	9.0	Black/Purple	FG209
0.866	8.465	0.354	22.0	215.0	9.0	Black/Yellow	FG156
0.984	8.465	0.354	25.0	215.0	9.0	Black/Red	FG216
0.984	8.465	0.354	25.0	215.0	9.0	Black/Purple	FG217
0.984	8.465	0.354	25.0	215.0	9.0	Black/Yellow	FG218

## Foam Grip Style 15



Scan here to order

- Extremely comfortable
- Foam helps to dissipate energy reducing machine fatigue
- Material: Foam Rubber
- Free samples

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimeters (ID)	Internal Length Millimeters (IL)	Wall Thickness Millimeters (WT)	Color	Part Number
0.866	5.118	0.354	22.0	130.0	9.0	Red/Blue	FG165
0.866	5.118	0.354	22.0	130.0	9.0	Black/Yellow	FG224
0.866	5.118	0.354	22.0	130.0	9.0	Red/Green	FG225
0.866	5.118	0.354	22.0	130.0	9.0	Black/Green	FG157
0.866	5.118	0.354	22.0	130.0	9.0	Blue/Blue	FG183

Visit us online to view our newly extended casters range



## Foam Sleeve

- Extremely comfortable to the touch
- Foam helps to dissipate machine energy reducing machine fatigue
- Material: Foam Rubber
- Free samples



Scan here to order

Internal Diameter Inches (ID)	Internal Length Inches (IL)	Wall Thickness Inches (WT)	Internal Diameter Millimetres (ID)	Internal Length Millimetres (IL)	Wall Thickness Millimetres (WT)	Outside Finish	End Style	Colour	Part Number
0.157	4.921	0.079	4.0	125.0	2.0	Smooth	Radius	Black	FG295
0.315	6.102	0.197	8.0	155.0	5.0	Smooth	Radius	Black	FG291
0.394	6.102	0.197	10.0	155.0	5.0	Rough	Radius	Black	FG134
0.394	14.567	0.197	10.0	370.0	5.0	Smooth	Radius	Black	FG119
0.472	9.843	0.236	12.0	250.0	6.0	Rough	Radius	Black	FG121
0.591	9.843	0.236	15.0	250.0	6.0	Rough	Radius	Black	FG41
0.591	9.843	0.236	15.0	250.0	6.0	Smooth	Radius	Black	FG42
0.626	25.591	0.276	15.9	650.0	7.0	Smooth	Radius	Black	FG18
0.630	18.110	0.276	16.0	460.0	7.0	Smooth	Radius	Black	FG54
0.709	4.134	0.197	18.0	105.0	5.0	Rough	Radius	Grey	FG69
0.709	4.134	0.197	18.0	105.0	5.0	Rough	Radius	Grey	FG125
0.748	5.433	0.197	19.0	138.0	5.0	Rough	Radius	Black	FG8
0.748	12.008	0.236	19.0	305.0	6.0	Smooth	Radius	Black	FG159
0.748	12.008	0.236	19.0	305.0	6.0	Rough	Radius	Black	FG9
0.748	20.000	0.276	19.0	508.0	7.0	Smooth	Radius	Black	FG32
0.827	38.583	0.276	21.0	980.0	7.0	Smooth	Radius	Black	FG46
0.866	12.008	0.236	22.0	305.0	6.0	Rough	Radius	Black	FG2
0.866	12.008	0.236	22.0	305.0	6.0	Smooth	Radius	Black	FG145
0.945	7.283	0.276	24.0	185.0	7.0	Rough	Radius	Black	FG68
0.984	9.843	0.236	25.0	250.0	6.0	Rough	Radius	Black	FG79
0.984	12.008	0.236	25.0	305.0	6.0	Rough	Radius	Black	FG146
0.984	19.685	0.236	25.0	500.0	6.0	Smooth	Radius	Black	FG112
1.063	9.843	0.157	27.0	250.0	4.0	Rough	Radius	Red	FG38
1.063	39.370	0.197	27.0	1000.0	5.0	Smooth	Straight	Black	FG58
1.220	19.685	0.236	31.0	500.0	6.0	Rough	Radius	Black	FG110
1.220	19.685	0.236	31.0	500.0	6.0	Smooth	Radius	Black	FG111
1.220	78.740	0.236	31.0	2000.0	6.0	Smooth	Straight	Black	FG228
1.496	12.008	0.236	38.0	305.0	6.0	Rough	Radius	Black	FG161
2.559	23.622	0.689	65.0	600.0	17.5	Smooth	Straight	Black	FG251

# “Keep it Simple”



For more information visit [www.componentforce.com](http://www.componentforce.com)  
Component Force LLC, 12158 Lackland Road,  
St.Louis, MO 63146, United States  
T 314-434-2600 F 314-434-2608  
[sales@componentforce.com](mailto:sales@componentforce.com)